## BROWNHILLS URBAN DISTRICT COUNCIL.

1939.

# ANNUAL REPORT OF THE MEDICAL OFFICER OF HEALTH.



To the Chairman and Members of the Brownhills Urban District Council.

Gentlemen,

The report for 1939 for the present at least will be merely an interim report. According to Ministry of Health instructions only essential and urgent matters should be dealt with. I am however, giving the vital statistics more that these will remain as a record that will facilitate reference when the time comes to make a fuller report on the war years.

Two estimated populations are given, one for the calculation of Birth Rates, this is 19,790, the other for the calculation of the death rates and for the calculation of the incidence of notifiable diseases, this is 19,760.

### Live Births.

	Total.	Male.	Female.
Legitimate.	379。 15。	192.	Female.
Illegitimate.	15.	6.	9.

The Birth Rate per thousand of population is

19.9.

# Still Births.

	Total.	<u>Male</u> .	Female.
Legitimate.	16.	9.	7.
Illegitimate.	1.	-0	Lo

Still Birth Rate per thousand live and Still Births is 41.3. Still Birth rate per thousand population is 0.86.

### Deaths.

Total.	Male.	Female.
213.	125.	88.

Death Rate per thousand of population is 10.7, this corrected by the areal comparibility factor is 12.4.

### Deaths from Puerperal Causes.

Puerperal Sepsis. Nil. Other Puerperal Causes. 1.

Rate per thousand total live and still births is 2.4.

The second and then part and crosses and control of the second and control of the second and the .

# Death Rate of Infants under one year.

All infants per thousand live births.	40.6.
Legitimate infants per thousand	
legitimate live births,	42.2.
Illegitimate infants per thousand. No	illegitimate
illegitimate live births	deaths
	26.
	Nil.
Deaths from Whooping Cough (all ages).	1.
Deaths from Diarrhoea (under 2 years).	Nil.

	with England & Wale are given below.	s.
	England & Wales. Rate per 1000 population.	Brownhills Urban Distri Rate per 100 Population
Live bir ths. Still Birtha.	15.0 0.59.	19.9. 0.87.
Deaths.		
All causes.  Measles. Scarlet Fever. Whooping Cough. Diphtheria. Influenza.	12.1. 0.01. 0.01. 0.03. 0.05. 0.21.	12.4. Nil. Nil. 0.05. 0.05. 0.35.
Notifications.		
Scarlet Fever. Diphtheria. Enteric Fever. Erysipelas. Pnuemonia.	1.89. 1.14. 0.04. 0.34. 1.02.	5.01. 1.16. 0.05. 0.96. 1.62.
Rate per the	ousand live bir ths.	
Deaths under 1 year. Deaths from Diarrhoea (Under 2 yrs).	50. 4.6.	40.6. Nil.
Maternal Mortality.		
Puerperal Sepsis. Others.	0.77. 2.16.	Nil. 2.53.
Rate per thousand total Births. (I Maternal Mortality.	Live and still).	
Puerperal Sepsis. Other puerperal causes. Notifications (Puerperal 1	0.74. 2.08.	Nil. 2.4.
and Pyrex		24.3.

# Describe per Charact To star deed All inforts per Charact it we births. Lest time to inforts per Charact Lest time to inforts per Charact. Allegitime to inforts per Charact. Line it is a births. Lest time Cancer. (all ages). Lest time Measles (all ages). Lest time Measles (all ages). Lest time Measles (ander E gests). Deaths from Manarison with England & Talen. Deaths from Discribes are given below. England & Wales. England & W

	-65-0	endake 11108
		Deaths.
		All neumos.  Keerlet werer:  Whooping Cough- Dightharis.  Influence.
1.25 1.25 0.05 0.95		Searlet Fover, Diphtheria, Enterio Fover, Enterio Fover,

	STATE MAN		
		(B'I	

:37.9		Puerperal Sepsis. Others.
-[ffitee.bos	evill) editil	Fate per thousant total I
		STATISTICAL ISPIDERM

		Perel Beret	

# DEATHE.

	Males.	Females.	TOTAL.
All Causes.	125。	88.	213.
Whooping Cough.		200	1.
Diphtheria	era.	1,0	Lo
Influenza.	4.0	3.	7.
Encephalitis Lethargica.	len t	en.	orto
Cerebro Spinal Fever. Tuberculosis of Respiratory System	lo 5.	1.0	6.
Other Tuberculous Diseases.		4.0	2.
Syphilis.	E.2	em	cm>
General Paralysis.	623	110	ens /
Cancer.	14.	12.	26.
Diabetes.	13.	20	4). 19.
Cerebral Haemorrhage. Heart Disease.	34.	6. 16.	50.
Other Circulatory Diseases.	2.30	3,	8.
Bronchitis.	5.	3.	40
Pneumonia.	40	7.	11.
Other Respiratory Diseases.	1.	1.	2.
Peptic Ulcer. Cirrhosis of Liver.	1.	-	10
Other Digestive Disorders.	1. 3. 7.	3	6.
Acute and Chronic Nephritis.	7.	7°	14.
Other Puerperal Diseases.	6:4	3° 7° 1°	1.
Congenital Debility, Premature Birt	h,		
and Marasmus.	6.	A.	10.
Senility. Suicide.	4.	4.	8.
Violent Deaths.	7.	2. 5.	8. 2. 12.
Other defined diseases.	10.	7.	17.
•	TOOLS NOT THE STATE OF THE STAT		
TOTALS.	125.	88.	213.
Eso.	THE PLANT CONTRACTOR OF THE PARTY OF THE PAR	The second secon	
Time Dinkle	A NA L. ALIMENT AND MANAGEMENT OF STORY MANAGEMENT	enterprise production and the state of the s	
Live Births.			
	Male.	Female.	Total.
	FIT SHEEDS OF B	The same of the sa	
Legitimate.	192.	187.	379。 15•
Illegitimate.	6.	9.	15.
	Committee (man) and also as on a management		
TOTALS.	198.	1.96.	394.
		/	terror transport from the first plant transport of the transport transport transport to the transport transport transport to the transport transpo
Still Births.			
	Male.	Female.	Total.
Legitimate.	9.	7.	16.
Illegitimate.	/ 0	7.	1.
TOTALS,	9.	8.	17.
TOTHIO	70	0.	Τ/ 0
Programme to the state of the s			Control of the Contro

			Ceretro spinel devel	
			Syphilia	
			- Teongo	
			derebral Landered	
			Meart Manne.	
			Other Circulatory Magazes.	
		3	Broom its	
			Peotle-Ulagraner Insesses.	
			wavel to sisofulto	
		*	all the first of the real bar of the	
			Other Distance of Commence of the Commence of	
			Agute and Chromic Neghricis. Other Puciperal Diseases. Congonital Debiliby.Fremedure	
	1			
			Live Births.	
			Idet vincue.	
Netsla	A OLIMBIA	العلابيد		
		*		
		16,		

# Death of infants under one year.

	Male.	Female.	Totale
Legitimate. Illegitimate.	8.	8.	16.
TOTALS.	8.	000	16.

The above 16 deaths give the infantile mortality per thousand of live births as 40.6, the lowest recorded Infantile Mortality. The Infantile Mortality for the whole of England and Wales is 50.

# The causes of Death: -

Congenital Debility	
Marasmus & Malformation.	10.
Pneumonia.	3.
Whooping Cough.	1.
Meningitis.	1.
Drowning.	1.

TABLE OF INFECTIOUS DISEASE.

Unde	r 1 yr.	Under 1 yr. 1 - 2. 2 - 3. 3 - 4. 4	ů l	3 - 4.	بر	5-1-0.	10-15.	15-20.	20-35.	20-35. 35-45.	45-65.	65% over.	Tot His al pit
Scarlet Fever.	1	1:	7.	8	ő	46.	19.	5.	7.	1	ı	1	99 19.
Diphtheria.	1	÷	1	i	1	13.	3.	ř	2.	1	1	1	٦ ٠
Pneumonia.	2°	i	1	1	1	4°	2.	2.	7.	2,	တိ		32.
Erysipelas.	1	- 1	1	'n	1	l.	1	ı	4.	9	7.	-1	19.
Puerperal Pyrexia.	1	1	· ·	1_	1	1	1		6	i	1	1	10.
Ophthalmia Neonatorum.	1	t	t	: -	ı	*	1	1	1	1	1	1	12.
Cerebro Spinal Fever.	1	f	ī	1	1	1		1	1	1	٦,	1.	2.2
Paratyphoid.	1	1	1	1	1	1	1.	1	1	1	1	ř	

1 3 70

S

THE OF TOTAL PORTION OF PERSON

				is.			
	•						
	P						
			7 170 1				
			,		3,1		
				1			
					*		
						24	
							The state of the s
						4	
						4	The same of the sa
						4	The state of the s
						4	The second secon
						4	The second secon
						4	The state of the s
						4	The state of the s
							The state of the s
							the same of the sa
							the state of the s
							the same of the sa
							The state of the s
Spanie.						The Same	the state of the s
Spanie.						The Same	the state of the s
Spanie.						The Same	the second secon
						The same of the sa	the second secon

# -6-TUBERCULOSIS.

	The state of the s	open mon				Deaths.	Company of the Compan	Of the section Comments and the section and
		New Cando	0			e Citto Toor		
	Pulmonary. Male. Female.		Non-Fulmonary. Male. Female.	والواهيمانية بعامانية بعامانية لما أسامة فريامة المانية	Fulmonary. Males, Females.	y. emales.	Non-Pulmonary. Male. Yemal	Charry. Females
Under 1 year.								
1 - 5.			°					
5 - 10.								
10-15。								
15-20。	4	2	,-1					p-d
20-25.	3		٥٦					
25-35.	1 2				m			
35-45.							-1	
45-55.	H							
55-65.	F.				H			
65 & over.					H			

The only matters concerned with Public Health that requires special mention are the great reduction in the Infantile Mortality Figures, and the prevention by the war of the completion of the Infectious Hospital Scheme.

I am,

Yours faithfully,

ROBERT G. BRADFORD.

Medical Officer of Health.